FUSIBLE LINK JCASE SPLASHPROOF IN-LINE HOLDER


These in-line fuse holders can be used with either standard height or low profile JCASE[™] JTF fuses. They offer size and weight savings compared to MAXI[™] fuse holders and include a protective cover for splash resistance. One holder features a screw mounting bracket, the other is secured using cable ties. They feature two red wire leads and a tall cover as standard, however please refer to ordering options below for customised ordering options (minimum order quantities apply).


Part Number	Description
HJCI002	Fuse holder cable tie mount
HIC2002	Fuse holder bracket mount

F


Rating: 60A Voltage: 58VDC Wire Thickness: #8 AWG Cable Insulation: GXL, 125°C Operating Temperature Range: -40°C to + 125°C Max Fuse Insertion Force: 49 Nm Pack Size: 1, 10, 50, 100 Ordering Options: 1. Fuse holders without the fuse cover. 2. Fuse holders with a short cover (specifically for the low profile JCASE fuse). 3. Custom wire length, wire colour and tinned ends. Please contact sales for further information. Approvals: [RoHS]


Holder with Cable Tie Mounting (FHJC1002)





Holder with Bracket Mounting (FHJC2002)





Dimensions in MM

RELATED PRODUCTS Fusible Links see page 24.



Jcase JTF Series (20A - 60A)

FHJC1002

FHIC2002

Inline Fuse Holder Comparison

Jcase Inline Fuse Holder

- •2 Mounting Options Hole & Bracket
- •2 Fuse Body Options High & Low Profile
- Lower Cost
- •Smaller Body
- Lighter



Maxi Inline Fuse Holder

- I Mounting Option Hole
- Higher Cost
- Larger Body
- Heavier







IP67